Documentation Requirements

Additional Document

In the "Additional Requirements-Section IB" of Packing Instruction 965 & 968 and "Additional Requirements-Section II" of Packing Instructions 965 to 970, an additional document is required indicating;

- the package contains lithium ion (or metal) cells or batteries;
- the package must be handled with care and that a flammability hazard exists if the package is damaged;
- special procedures must be followed in the event the package is damaged, to include inspection and repacking if necessary; and
- a telephone number for additional information.

Note: For Section II of PI 967 & PI 970, the additional document is required for a shipment with package(s) containing more than 4 cells or 2 batteries installed in equipment.

2. Section IB Batteries (Packing Instructions 965 & 968 only)

A shipper's Declaration is not required and UN specification packaging is not required but Section IB batteries are classified as Class 9 Dangerous Goods and subject to all other requirements in the DGR including marking and labeling.

1) Air Waybill requirements.

For Section IB Batteries, a "Shipper's Declaration" is not required but in Section IB of Packing Instructions 965 & 968, the items below must be contained on the air waybill;

- 1 the name and address of the shipper and consignee;
- 2 UN 3480 or UN3090;
- 3 Lithium ion batteries, PI 965, IB or Lithium metal Batteries, PI 968, IB;
- 4 the number of packages and the gross weight of each package.

And 2 3 and 4 must be shown in the "Nature and Quantity of Goods" box of the Air Waybill.

And the name and address of the shipper and consignee must be marked on the package(s) same as other dangerous goods.

NCA understands that the name and address of the shipper and consignee on a document must be same as marked on the package(s).

In case of "Consolidation", "the name and address of the shipper and consignee" on air waybill may be different from the name and address of the shipper and consignee marked on the package(s).

i.e.: the air waybill shows the name and address of the freight forwarder and the package(s) show the name and address of the actual (house) shipper and consignee.

In those cases, the actual (house) shipper and consignee must be included on a document.

Note: The above requirements are subject to Section IB Batteries.

For Section II batteries, the words "Lithium ion (metal) batteries in compliance with Section II of PI 9XX" (965, 966, 967, 968, 969 or 970) must be included on the air waybill.

2) Overpack Information.

Section IB batteries can be overpacked but when those are overpacked, the overpack information must be included on a document as required in 8.1.6.9.2 Step 7 and marked on the outside of overpack(s) as required in 7.1.4.1 of the DGR.

3. Template of the additional document.

NCA recommended template of the additional document to include all required items above is attached below with some examples.

Note:

- 1) the attached template is our recommendation and not a mandatory, any format can be acceptable if it includes all required information. And some other Airlines require DGD (Shipper's Declaration for Dangerous Goods) for Section IB batteries. If a shipper prepares DGD for Section IB batteries, it is also acceptable. NCA is not in a position to take any responsibility for the accuracy of the above.
- 2) The IATA Dangerous Goods Regulations and the IATA Lithium Battery Guidance Document.

ir Waybill number Master :	House:
	(for consolidation only)
ARNING: LITHIUM BATTERIES THAT HAVE BEEN RECARDED REASONS MUST NOT BE SHIPPED BY AIR.	ALLED BY THE MANUFACTURER FOR SAFETY
nis package contains lithium cells or batteries in t	
ithium Ion - Maximum of	Lithium Metal - Maximum of
 20 Watt-hours per cell; and 	 1 gram of lithium metal per cell; and
100 Watt-hours per battery	2 grams of lithium per battery
Cells or batteries only (ICAO/IATA Packing	□ Cells or batteries only (ICAO/IATA Packing
nstruction 965, Section II) – Cells or batteries in	
a package, without electronic equipment	a package, without electronic equipment
Package Limit: ≤2.7Wh = 2.5kg; or	Package Limit:
>2.7Wh but ≤ 20Wh = 8 cells; or	≤0.3g = 2.5kg; <u>or</u> >0.3g but ≤ 1g = 8 cells; <u>or</u>
>2.7Wh but ≤ 100Wh = 2 batteries	>0.3g but ≤ 2g = 2 batteries
Cells or batteries only (ICAO/IATA Packing	□ Cells or batteries only (ICAO/IATA Packing
nstruction 965, Section IB) – Cells or batteries	Instruction 968, Section IB) – Cells or batteries
n a package, without electronic equipment	in a package, without electronic equipment
UN3480, package(s) x kg G each	UN3090, package(s) x kg G each
Packed with equipment (ICAO/IATA Packing nstruction 966, Section II) – Cells or batteries	□ Packed with equipment (ICAO/IATA Packing Instruction 969, Section II) - Cells or batteries
	packed in a package with equipment
Contained in equipment (ICAO/IATA Packing	packed in a package with equipment Contained in equipment (ICAO/IATA Packing
□ Contained <u>in equipment</u> (ICAO/IATA Packing nstruction 967, Section II) – Cells or batteries	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries
	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment lity hazard exists if the package is damaged. It be loaded until the condition of the contents can be verifie
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabing of this package is damaged in transportation, it must not be batteries contained in this package must be inspected and protected against short circuits. For more information about the batteries contained in the List telephone number here, including area contained in the contain	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment lity hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number:
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabined in this package is damaged in transportation, it must note that the batteries contained in this package must be inspected and protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968)	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment White package is damaged. It be loaded until the condition of the contents can be verified the following the package, call the following telephone number: de and any applicable country code
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectand protected against short circuits. For more information about the batteries contained in the List telephone number here, including area contained in the contained in the latteries contained in the	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment lity hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number:
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabing if this package is damaged in transportation, it must not the batteries contained in this package must be inspected and protected against short circuits. For more information about the batteries contained in the List telephone number here, including area court section IB use only (PI 965 and PI 968)	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment White package is damaged. It be loaded until the condition of the contents can be verified the following the package, call the following telephone number: de and any applicable country code
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabing if this package is damaged in transportation, it must not the batteries contained in this package must be inspected and protected against short circuits. For more information about the batteries contained in the List telephone number here, including area court section IB use only (PI 965 and PI 968)	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment White package is damaged. It be loaded until the condition of the contents can be verified the following the package, call the following telephone number: de and any applicable country code
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabing if this package is damaged in transportation, it must not the batteries contained in this package must be inspected and protected against short circuits. For more information about the batteries contained in the List telephone number here, including area court section IB use only (PI 965 and PI 968)	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment White package is damaged. It be loaded until the condition of the contents can be verified the following the package, call the following telephone number: de and any applicable country code
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspected protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper:	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment White package is damaged. It is be loaded until the condition of the contents can be verified ted for damage and may only be repacked if they are intact this package, call the following telephone number: Description
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspected protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper:	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment White package is damaged. It be loaded until the condition of the contents can be verified the following the package, call the following telephone number: de and any applicable country code
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectant protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the same shall be marked on the packages.	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) — Cells or batteries contained in equipment Ility hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number: Ide and any applicable country code Name/Address of consignee Name/Address of shipper and consignee as above the contained in equipment.
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectant protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the same shall be marked on the packages.	packed in a package with equipment G Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment White package is damaged. It is be loaded until the condition of the contents can be verified ted for damage and may only be repacked if they are intact this package, call the following telephone number: Description
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectant protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the same shall be marked on the packages.	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) — Cells or batteries contained in equipment Ility hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number: Ide and any applicable country code Name/Address of consignee Name/Address of shipper and consignee as above the contained in equipment.
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectant protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the same shall be marked on the packages.	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) — Cells or batteries contained in equipment Ility hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number: Ide and any applicable country code Name/Address of consignee Name/Address of shipper and consignee as above the contained in equipment.
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectant protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the same shall be marked on the packages.	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) — Cells or batteries contained in equipment Ility hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number: Ide and any applicable country code Name/Address of consignee Name/Address of shipper and consignee as above the contained in equipment.
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspediand protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the signal be marked on the packages.	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) — Cells or batteries contained in equipment Ility hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number: Ide and any applicable country code Name/Address of consignee Name/Address of shipper and consignee as above the contained in equipment.
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectant protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the same shall be marked on the packages.	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) — Cells or batteries contained in equipment Ility hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified to damage and may only be repacked if they are intact this package, call the following telephone number: Ide and any applicable country code Name/Address of consignee Name/Address of shipper and consignee as above the contained in equipment.
Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) — Cells or batteries contained in equipment This package must be handled with care. A flammabilif this package is damaged in transportation, it must not the batteries contained in this package must be inspectant protected against short circuits. For more information about the batteries contained in the List telephone number here, including area coor Section IB use only (PI 965 and PI 968) Name/Address of shipper: WOTE: Regarding Section IB of PI965 and PI968, the same shall be marked on the packages.	packed in a package with equipment Contained in equipment (ICAO/IATA Packing Instruction 970, Section II) – Cells or batteries contained in equipment Iity hazard exists if the package is damaged. It be loaded until the condition of the contents can be verified for damage and may only be repacked if they are intacted for damage, call the following telephone number: In the package, call the following telephone number: In the package, call the following telephone number: In the package of the package is damaged. In the packag

Additional Document for Section II of PI965 to PI970 and Section IB of PI965 and PI968 - EXAMPLE 1 House: N/A Air Waybill number Master: 933-1234 5670 (for consolidation only) WARNING: LITHIUM BATTERIES THAT HAVE BEEN RECALLED BY THE MANUFACTURER FOR SAFETY REASONS MUST NOT BE SHIPPED BY AIR. This package contains lithium cells or batteries in the following configuration (check applicable): Lithium Ion - Maximum of Lithium Metal - Maximum of 1 gram of lithium metal per cell; and 20 Watt-hours per cell; and 100 Watt-hours per battery 2 grams of lithium per battery □ Cells or batteries only (ICAO/IATA Packing □ Cells or batteries only (ICAO/IATA Packing Instruction 965, Section II) - Cells or batteries in Instruction 968, Section II) – Cells or batteries in a package, without electronic equipment a package, without electronic equipment Package Limit: Package Limit: ≤2.7Wh = 2.5kg; or ≤0.3g = 2.5kg; or >2.7Wh but ≤ 20Wh = 8 cells; or >0.3g but ≤ 1g = 8 cells; or >2.7Wh but ≤ 100Wh = 2 batteries >0.3g but ≤ 2g = 2 batteries Cells or batteries only (ICAO/IATA Packing Cells or batteries only (ICAO/IATA Packing Instruction 965, Section IB) - Cells or batteries Instruction 968, Section IB) – Cells or batteries in a package, without electronic equipment in a package, without electronic equipment UN3090, 30 package(s) x 2 kg G each UN3480, 30 package(s) x 5 kg G each □ Packed with equipment (ICAO/IATA Packing) □ Packed with equipment (ICAO/IATA Packing Instruction 966, Section II) - Cells or batteries Instruction 969, Section II) - Cells or batteries packed in a package with equipment packed in a package with equipment □ Contained in equipment (ICAO/IATA Packing □ Contained in equipment (ICAO/IATA Packing Instruction 967, Section II) - Cells or batteries Instruction 970, Section II) - Cells or batteries contained in equipment contained in equipment . This package must be handled with care. A flammability hazard exists if the package is damaged. . If this package is damaged in transportation, it must not be loaded until the condition of the contents can be verified. The batteries contained in this package must be inspected for damage and may only be repacked if they are intact and protected against short circuits. For more information about the batteries contained in this package, call the following telephone number: List telephone number here, including area code and any applicable country code For Section IB use only (PI 965 and PI 968) Name/Address of shipper: Name/Address of consignee ABC Battery Co., LTD. ABC Battery USA INC. 1-1-1 Narita Airport. 1000 ABC Drive Los Angeles Narita-shi, Chiba 282-0000 92827 CA, USA NOTE: Regarding Section IB of PI965 and PI968, the same name and address of shipper and consignee as above shall be marked on the packages. When overpack(s) are used, overpack information required in DGR 8.1.6.9.2 Step 7 must be indicated below. Name/Title of Signatory: Taro Nippon, shipping Manager Date: 01JAN, 2013 Signature:: Signature

4/6

Note: In addition to this document, items 2, 3 and 4 required in Section IB, (b) of PI 965 & PI968 must be

included in the "Nature and Quantity of Goods" box of Air Waybill.

Additional Document for Section II of PI965 to PI970 and Section IB of PI965 and PI968					
- EXAMPLE 2					
Air Waybill number Master : 933-1234 5	670 House: ABC-1234 5678 (for consolidation only)				
WARNING: LITHIUM BATTERIES THAT HAVE BEEN RECALLED BY THE MANUFACTURER FOR SAFETY REASONS MUST NOT BE SHIPPED BY AIR.					
This package contains lithium cells or batteries in the following configuration (check applicable):					
Lithium Ion - Maximum of	Lithium Metal – Maximum of				
20 Watt-hours per cell; and	1 gram of lithium metal per cell; and				
100 Watt-hours per battery Cells or batteries only (ICAO/IATA Packing)	2 grams of lithium per battery Cells or batteries only (ICAO/IATA Packing)				
Instruction 965, Section II) – Cells or batteries in	Instruction 968, Section II) – Cells or batteries in				
a package, without electronic equipment	a package, without electronic equipment				
Package Limit:	Package Limit:				
≤2.7Wh = 2.5kg; <u>or</u>	≤0.3g = 2.5kg; <u>or</u>				
>2.7Wh but ≤ 20Wh = 8 cells; or	>0.3g but ≤ 1g = 8 cells; or				
>2.7Wh but ≤ 100Wh = 2 batteries	>0.3g but ≤ 2g = 2 batteries				
Cells or batteries only (ICAO/IATA Packing	Cells or batteries only (ICAO/IATA Packing				
Instruction 965, Section IB) – Cells or batteries	Instruction 968, Section IB) – Cells or batteries in a package, without electronic equipment				
in a package, without electronic equipment	UN3090, package(s) x kg G each				
UN3480,10_ package(s) x10_ kg G each					
□ Packed with equipment (ICAO/IATA Packing	□ Packed with equipment (ICAO/IATA Packing				
Instruction 966, Section II) – Cells or batteries	Instruction 969, Section II) – Cells or batteries				
packed in a package with equipment Contained in equipment (ICAO/IATA Packing	packed in a package with equipment Contained in equipment (ICAO/IATA Packing				
Instruction 967, Section II) – Cells or batteries	Instruction 970, Section II) – Cells or batteries				
contained in equipment	contained in equipment				
 This package must be handled with care. A flammability hazard exists if the package is damaged. If this package is damaged in transportation, it must not be loaded until the condition of the contents can be verified. The batteries contained in this package must be inspected for damage and may only be repacked if they are intact and protected against short circuits. 					
For more information about the batteries contained in this package, call the following telephone number:					
81-476-32-XXXX					
List telephone number here, including area code and any applicable country code					
For Section IB use only (PI 965 and PI 968)					
Name/Address of shipper:	Name/Address of consignee				
	ABC Battery USA INC.				
1-1-1 Narita Airport, 1000 ABC Drive Los Angeles					
Narita-shi, Chiba 282-0000	92827 CA, USA				
<u>Japan</u>	_				
NOTE: Regarding Section IB of Pl965 and Pl968, the same name and address of shipper and consignee as above shall be marked on the packages.					
When overpack(s) are used, overpack information required in DGR 8.1.6.9.2 Step 7 must be indicated below.					
10 (packages) × 10kgG, Overpack used					
Name/Title of Signatory:Taro Nippon, shipping Manager Date:01JAN, 2013					
Signature:: Signature					

Note: In addition to this document, items 2, 3 and 4 required in Section IB, (b) of PI 965 & PI968 must be included in the "Nature and Quantity of Goods" box of Air Waybill.

Additional Document for Section II of PI965 to PI970 and Section IB of PI965 and PI968

- EXAMPLE 3

Air Waybill number	Master:	933-1234 5670	House: _	ABC-1234 5678	
-			(for consolidat	ion only)	

WARNING: LITHIUM BATTERIES THAT HAVE BEEN RECALLED BY THE MANUFACTURER FOR SAFETY REASONS **MUST NOT** BE SHIPPED BY AIR.

This package contains lithium cells or batteries in the following configuration (check applicable):

This package contains lithium cells or batteries in the following configuration (check applicable):			
Lithium Ion - Maximum of	Lithium Metal - Maximum of		
 20 Watt-hours per cell; and 	 1 gram of lithium metal per cell; and 		
 100 Watt-hours per battery 	 2 grams of lithium per battery 		
□ Cells or batteries <u>only</u> (ICAO/IATA Packing	□ Cells or batteries only (ICAO/IATA Packing		
Instruction 965, Section II) – Cells or batteries in	Instruction 968, Section II) – Cells or batteries in		
a package, without electronic equipment	a package, without electronic equipment		
Package Limit:	Package Limit:		
≤2.7Wh = 2.5kg; <u>or</u>	≤0.3g = 2.5kg; <u>or</u>		
>2.7Wh but ≤ 20Wh = 8 cells; <u>or</u>	>0.3g but ≤ 1g = 8 cells; <u>or</u>		
>2.7Wh but ≤ 100Wh = 2 batteries	>0.3g but ≤ 2g = 2 batteries		
Cells or batteries only (ICAO/IATA Packing	Cells or batteries only (ICAO/IATA Packing		
✓ Cells or batteries only (ICAO/IATA Packing Instruction 965, Section IB) – Cells or batteries	Cells or batteries only (ICAO/IATA Packing Instruction 968, Section IB) – Cells or batteries		
-			
Instruction 965, Section IB) – Cells or batteries	Instruction 968, Section IB) – Cells or batteries		
Instruction 965, Section IB) – Cells or batteries in a package, without electronic equipment	Instruction 968, Section IB) – Cells or batteries in a package, without electronic equipment		
Instruction 965, Section IB) – Cells or batteries in a package, without electronic equipment UN3480, 30 package(s) x 5 kg G each	Instruction 968, Section IB) – Cells or batteries in a package, without electronic equipment UN3090, 30 package(s) x 2 kg G each		
Instruction 965, Section IB) – Cells or batteries in a package, without electronic equipment UN3480,30 package(s) x5 kg G each □ Packed with equipment (ICAO/IATA Packing	Instruction 968, Section IB) – Cells or batteries in a package, without electronic equipment UN3090,30 package(s) x2 kg G each □ Packed with equipment (ICAO/IATA Packing		
Instruction 965, Section IB) – Cells or batteries in a package, without electronic equipment UN3480,30	Instruction 968, Section IB) – Cells or batteries in a package, without electronic equipment UN3090, 30 package(s) x 2 kg G each □ Packed with equipment (ICAO/IATA Packing Instruction 969, Section II) – Cells or batteries packed in a package with equipment □ Contained in equipment (ICAO/IATA Packing		
Instruction 965, Section IB) – Cells or batteries in a package, without electronic equipment UN3480, 30 package(s) x 5 kg G each Packed with equipment (ICAO/IATA Packing Instruction 966, Section II) – Cells or batteries packed in a package with equipment	Instruction 968, Section IB) – Cells or batteries in a package, without electronic equipment UN3090,30 package(s) x2 kg G each □ Packed with equipment (ICAO/IATA Packing Instruction 969, Section II) – Cells or batteries packed in a package with equipment		

- This package must be handled with care. A flammability hazard exists if the package is damaged.
- If this package is damaged in transportation, it must not be loaded until the condition of the contents can be verified.
 The batteries contained in this package must be inspected for damage and may only be repacked if they are intact and protected against short circuits.
- For more information about the batteries contained in this package, call the following telephone number:

81-476-32-XXXX

List telephone number here, including area code and any applicable country code

For Section IB use only (PI 965 and PI 968)

For Section ib use only (F1 365 and F1 366)			
Name/Address of shipper: ABC Battery Co., LTD. 1-1-1 Narita Airport, Narita-shi, Chiba 282-0000 Japan	Name/Address of consignee ABC Battery USA INC. 1000 ABC Drive Los Angeles 92827 CA, USA		
NOTE: Regarding Section IB of PI965 and PI968, the same name and address of shipper and consignee as above shall be marked on the packages.			
When overpack(s) are used, overpack information required in DGR 8.1.6.9.2 Step 7 must be indicated below.			
10 x 5kgG (UN3480) and 10 x 2kgG (UN3090), overpack used x 3, #126, #127,#128, total quantity per overpack UN3480=50kgG UN3090=20kgG			
Name/Title of Signatory:	hipping Manager Date: 01JAN, 2013		
Signature:: <u>Signature</u>			

Note: In addition to this document, items 2, 3 and 4 required in Section IB, (b) of PI 965 & PI968 must be included in the "Nature and Quantity of Goods" box of Air Waybill.